

























- Orr, P. (2012). Technology use in art therapy practice: 2004 and 2011 comparison. *The Arts in Psychotherapy*, 39(4), 234-238.
- Preschl, B., Maercker, A. ve Wagner, B. (2011). The working alliance in a randomized controlled trial comparing online with face-to-face cognitive-behavioral therapy for depression. *BMC Psychiatry*, 11(1), 189.
- Rees, C. S. ve Stone, S. (2005). Therapeutic alliance in face-to-face versus videoconferenced psychotherapy. *Professional Psychology: Research and Practice*, 36(6), 649-653.
- Reynolds, D. J., Stiles, W. B. ve Grohol, J. M. (2006). An investigation of session impact and alliance in internet-based psychotherapy: Preliminary results. *Counseling Psychotherapy Research*, 6(3), 164-168.
- Rochlen, A. B., Zack, J. S. ve Speyer, C. (2004). Online therapy: Review of relevant definitions, debates, and current empirical support. *Journal of Clinical Psychology*, 60(3), 269-283.
- Spence, S. H., Donovan, C. L., March, S., Gamble, A., Anderson, R., Prosser, S., ...Kenardy, J. (2008). Online CBT in the treatment of child and adolescent anxiety disorders: Issues in the development of BRAVE-ONLINE and two case illustrations. *Behavioural and Cognitive Psychotherapy*, 36, 411-430.
- Stofle, G. S. (2001). *Choosing an online therapist*. Harrisburg: White Hat Communications.
- Suler, J., Barak, A., Chechele, P., Fenickel, M., Hsiung, R., Maguire, J., ...Walker-Schmucker, W. (2001). Assessing a person's suitability for online therapy. *CyberPsychology & Behavior*, 4, 675-679.
- Taylor, C. B. ve Luce, K. H. (2003): Computer and internet-based psychotherapy interventions. *Current Directions in Psychological Science*, 12(1), 18-22.
- Wagner, B., Brand, J., Schulz, W. ve Knaevelsrud, C. (2012). Online working alliance predicts treatment outcome for posttraumatic stress symptoms in Arab war-traumatized patients. *Depression and Anxiety*, 29(7), 646-651.
- Wagner, B., Horn, A. B. ve Maercker, A. (2014). Internet-based versus face-to-face cognitive-behavioral intervention for depression: A randomized controlled non-inferiority trial. *Journal of Affective Disorders*, 152-154, 113-121.
- Wagner, B., Knaevelsrud, C. ve Maercker, A. (2006). Internet-based cognitive-behavioral therapy for complicated grief: A randomised controlled trial. *Death Studies*, 30, 429-453.
- Wangberg, S. C., Gammon, D. ve Spitznogle, K. (2007). In the eyes of the beholder: Exploring psychologists' attitudes towards and use of e-therapy in Norway. *Cyberpsychology & Behavior*, 10, 418-423.
- Warmerdam, L., Straten, A., Jongasma, J., Twisk, J. ve Cuijpers, P. (2010). Online cognitive behavioral therapy and problem-solving therapy for depressive symptoms: Exploring mechanism of change. *Journal of Behavior Therapy and Experimental Psychiatry*, 41, 64-70.
- Wolf, A. W. (2011). Internet and video technology in psychotherapy supervision and training. *Psychotherapy*, 48(2), 179-181.
- Yorulmaz, O., Sapmaz-Yurtsever, S., Gökdağ, C., Kaçar-Basaran, S., Göcek-Yorulmaz, E., Yalçın, M. ve Görgü-Akçay, N. S. (2018). The future of psychotherapy in Turkey: Predictions for the next 10 years. *The Journal of Nervous and Mental Disease*, 206(5), 332-339.
- Young, K. (2005). An empirical examination of client attitudes towards online counseling. *CyberPsychology & Behavior*, 8, 172-177.